



STAINLESS STEEL EQUIPMENT STANDS



Stainless Steel Equipment Stand

EST-2424

Size:	24" D x 24" W x 24" H
Weight	40 lbs
Width	24 inches
Shipping Size	26" L x 26" W x 5" H

Equipment Stand, 24" x 24"

Features




- ✓ 1.5" riser on three sides securely holds equipment in place.
- ✓ Heavy-duty, 18 gauge, Type 430 stainless steel top ensures long-lasting durability.
- ✓ Top is TIG welded for strength.
- ✓ Entire top surface is polished to a satin finish.
- ✓ Reinforced to exceed industry standards.
- ✓ Galvanized hat channels secured to the top with structural adhesive and weld studs.
- ✓ Welded gussets support hat sections.
- ✓ Hemmed edges for added strength and safety.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Die-cast reinforced leg sockets for enhanced stability.

Equipment Stands


EST-2424

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
EST-2424	26" L x 26" W x 5" H	24" D x 24" W x 26" H	24 inches	40 lbs
EST-2430	32" L x 26" W x 5" H	24" D x 30" W x 26" H	30 inches	45 lbs
EST-2436	38" L x 26" W x 5" H	24" D x 36" W x 26" H	36 inches	49 lbs
EST-2448	50" L x 26" W x 5" H	24" D x 48" W x 26" H	48 inches	60 lbs
EST-2460	62" L x 26" W x 5" H	24" D x 60" W x 26" H	60 inches	80 lbs
EST-3015	32" L x 18" W x 5" H	30" D x 15" W x 26" H	15 inches	37 lbs
EST-3018	32" L x 20" W x 5" H	30" D x 18" W x 26" H	18 inches	40 lbs
EST-3024	32" L x 26" W x 5" H	30" D x 24" W x 26" H	24 inches	48 lbs
EST-3030	32" L x 32" W x 5" H	30" D x 30" W x 26" H	30 inches	52 lbs
EST-3036	38" L x 32" W x 5" H	30" D x 36" W x 26" H	36 inches	57 lbs
EST-3048	50" L x 32" W x 5" H	30" D x 48" W x 26" H	48 inches	69 lbs
EST-3060	62" L x 32" W x 5" H	30" D x 60" W x 26" H	60 inches	75 lbs



Stainless Steel Equipment Stand

EST-2430

Size:	24" D x 30" W x 24" H
Weight	45 lbs
Width	30 inches
Shipping Size	32" L x 26" W x 5" H

Equipment Stand, 24" x 30"

Features



- ✓ 1.5" riser on three sides securely holds equipment in place.
- ✓ Heavy-duty, 18 gauge, Type 430 stainless steel top ensures long-lasting durability.
- ✓ Top is TIG welded for strength.
- ✓ Entire top surface is polished to a satin finish.
- ✓ Reinforced to exceed industry standards.
- ✓ Galvanized hat channels secured to the top with structural adhesive and weld studs.
- ✓ Welded gussets support hat sections.
- ✓ Hemmed edges for added strength and safety.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Die-cast reinforced leg sockets for enhanced stability.

Equipment Stands

EST-2430


Technical Drawing

TOP VIEW

30" (W)




FRONT VIEW



22.125"

(Width(W) - 6.625")

SIDE VIEW



17.375"

(24" D - 6.625")
(30" D - 7.875")

Model	Shipping Deminsions	Product Size	Width	Weight
EST-2424	26" L x 26" W x 5" H	24" D x 24" W x 26" H	24 inches	40 lbs
EST-2430	32" L x 26" W x 5" H	24" D x 30" W x 26" H	30 inches	45 lbs
EST-2436	38" L x 26" W x 5" H	24" D x 36" W x 26" H	36 inches	49 lbs
EST-2448	50" L x 26" W x 5" H	24" D x 48" W x 26" H	48 inches	60 lbs
EST-2460	62" L x 26" W x 5" H	24" D x 60" W x 26" H	60 inches	80 lbs
EST-3015	32" L x 18" W x 5" H	30" D x 15" W x 26" H	15 inches	37 lbs
EST-3018	32" L x 20" W x 5" H	30" D x 18" W x 26" H	18 inches	40 lbs
EST-3024	32" L x 26" W x 5" H	30" D x 24" W x 26" H	24 inches	48 lbs
EST-3030	32" L x 32" W x 5" H	30" D x 30" W x 26" H	30 inches	52 lbs
EST-3036	38" L x 32" W x 5" H	30" D x 36" W x 26" H	36 inches	57 lbs
EST-3048	50" L x 32" W x 5" H	30" D x 48" W x 26" H	48 inches	69 lbs
EST-3060	62" L x 32" W x 5" H	30" D x 60" W x 26" H	60 inches	75 lbs



Stainless Steel Equipment Stand

EST-2436

Size:	24" D x 36" W x 24" H
Weight	49 lbs
Width	36 inches
Shipping Size	38" L x 26" W x 5" H

Equipment Stand, 24" x 36"

Features



- ✓ 1.5" riser on three sides securely holds equipment in place.
- ✓ Heavy-duty, 18 gauge, Type 430 stainless steel top ensures long-lasting durability.
- ✓ Top is TIG welded for strength.
- ✓ Entire top surface is polished to a satin finish.
- ✓ Reinforced to exceed industry standards.
- ✓ Galvanized hat channels secured to the top with structural adhesive and weld studs.
- ✓ Welded gussets support hat sections.
- ✓ Hemmed edges for added strength and safety.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Die-cast reinforced leg sockets for enhanced stability.

Equipment Stands

EST-2436


Technical Drawing

TOP VIEW

36" (W)




FRONT VIEW



28.125"

(Width(W) - 6.625")

SIDE VIEW



17.375"

(24" D - 6.625")
(30" D - 7.875")

Model	Shipping Deminsions	Product Size	Width	Weight
EST-2424	26" L x 26" W x 5" H	24" D x 24" W x 26" H	24 inches	40 lbs
EST-2430	32" L x 26" W x 5" H	24" D x 30" W x 26" H	30 inches	45 lbs
EST-2436	38" L x 26" W x 5" H	24" D x 36" W x 26" H	36 inches	49 lbs
EST-2448	50" L x 26" W x 5" H	24" D x 48" W x 26" H	48 inches	60 lbs
EST-2460	62" L x 26" W x 5" H	24" D x 60" W x 26" H	60 inches	80 lbs
EST-3015	32" L x 18" W x 5" H	30" D x 15" W x 26" H	15 inches	37 lbs
EST-3018	32" L x 20" W x 5" H	30" D x 18" W x 26" H	18 inches	40 lbs
EST-3024	32" L x 26" W x 5" H	30" D x 24" W x 26" H	24 inches	48 lbs
EST-3030	32" L x 32" W x 5" H	30" D x 30" W x 26" H	30 inches	52 lbs
EST-3036	38" L x 32" W x 5" H	30" D x 36" W x 26" H	36 inches	57 lbs
EST-3048	50" L x 32" W x 5" H	30" D x 48" W x 26" H	48 inches	69 lbs
EST-3060	62" L x 32" W x 5" H	30" D x 60" W x 26" H	60 inches	75 lbs



Stainless Steel Equipment Stand

EST-2448

Size:	24" D x 48" W x 24" H
Weight	60 lbs
Width	48 inches
Shipping Size	50" L x 26" W x 5" H

Equipment Stand, 24" x 48"

Features



- ✓ 1.5" riser on three sides securely holds equipment in place.
- ✓ Heavy-duty, 18 gauge, Type 430 stainless steel top ensures long-lasting durability.
- ✓ Top is TIG welded for strength.
- ✓ Entire top surface is polished to a satin finish.
- ✓ Reinforced to exceed industry standards.
- ✓ Galvanized hat channels secured to the top with structural adhesive and weld studs.
- ✓ Welded gussets support hat sections.
- ✓ Hemmed edges for added strength and safety.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Die-cast reinforced leg sockets for enhanced stability.

Equipment Stands

EST-2448


Technical Drawing

TOP VIEW

48" (W)




FRONT VIEW



40.125"

(Width(W) - 6.625")

SIDE VIEW



17.375"

(24" D - 6.625")
(30" D - 7.875")

Model	Shipping Deminsions	Product Size	Width	Weight
EST-2424	26" L x 26" W x 5" H	24" D x 24" W x 26" H	24 inches	40 lbs
EST-2430	32" L x 26" W x 5" H	24" D x 30" W x 26" H	30 inches	45 lbs
EST-2436	38" L x 26" W x 5" H	24" D x 36" W x 26" H	36 inches	49 lbs
EST-2448	50" L x 26" W x 5" H	24" D x 48" W x 26" H	48 inches	60 lbs
EST-2460	62" L x 26" W x 5" H	24" D x 60" W x 26" H	60 inches	80 lbs
EST-3015	32" L x 18" W x 5" H	30" D x 15" W x 26" H	15 inches	37 lbs
EST-3018	32" L x 20" W x 5" H	30" D x 18" W x 26" H	18 inches	40 lbs
EST-3024	32" L x 26" W x 5" H	30" D x 24" W x 26" H	24 inches	48 lbs
EST-3030	32" L x 32" W x 5" H	30" D x 30" W x 26" H	30 inches	52 lbs
EST-3036	38" L x 32" W x 5" H	30" D x 36" W x 26" H	36 inches	57 lbs
EST-3048	50" L x 32" W x 5" H	30" D x 48" W x 26" H	48 inches	69 lbs
EST-3060	62" L x 32" W x 5" H	30" D x 60" W x 26" H	60 inches	75 lbs



Stainless Steel Equipment Stand

EST-2460

Size:	24" D x 60" W x 24" H
Weight	80 lbs
Width	60 inches
Shipping Size	62" L x 26" W x 5" H

Equipment Stand, 24" x 60"

Features



- ✓ 1.5" riser on three sides securely holds equipment in place.
- ✓ Heavy-duty, 18 gauge, Type 430 stainless steel top ensures long-lasting durability.
- ✓ Top is TIG welded for strength.
- ✓ Entire top surface is polished to a satin finish.
- ✓ Reinforced to exceed industry standards.
- ✓ Galvanized hat channels secured to the top with structural adhesive and weld studs.
- ✓ Welded gussets support hat sections.
- ✓ Hemmed edges for added strength and safety.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Die-cast reinforced leg sockets for enhanced stability.

Equipment Stands

EST-2460


Technical Drawing

TOP VIEW

60" (W)




FRONT VIEW



52.125"

(Width(W) - 6.625")

SIDE VIEW



17.375"

(24" D - 6.625")
(30" D - 7.875")

Model	Shipping Deminsions	Product Size	Width	Weight
EST-2424	26" L x 26" W x 5" H	24" D x 24" W x 26" H	24 inches	40 lbs
EST-2430	32" L x 26" W x 5" H	24" D x 30" W x 26" H	30 inches	45 lbs
EST-2436	38" L x 26" W x 5" H	24" D x 36" W x 26" H	36 inches	49 lbs
EST-2448	50" L x 26" W x 5" H	24" D x 48" W x 26" H	48 inches	60 lbs
EST-2460	62" L x 26" W x 5" H	24" D x 60" W x 26" H	60 inches	80 lbs
EST-3015	32" L x 18" W x 5" H	30" D x 15" W x 26" H	15 inches	37 lbs
EST-3018	32" L x 20" W x 5" H	30" D x 18" W x 26" H	18 inches	40 lbs
EST-3024	32" L x 26" W x 5" H	30" D x 24" W x 26" H	24 inches	48 lbs
EST-3030	32" L x 32" W x 5" H	30" D x 30" W x 26" H	30 inches	52 lbs
EST-3036	38" L x 32" W x 5" H	30" D x 36" W x 26" H	36 inches	57 lbs
EST-3048	50" L x 32" W x 5" H	30" D x 48" W x 26" H	48 inches	69 lbs
EST-3060	62" L x 32" W x 5" H	30" D x 60" W x 26" H	60 inches	75 lbs



Stainless Steel Equipment Stand

EST-3015

Size:	30" D x 15" W x 24" H
Weight	37 lbs
Width	15 inches
Shipping Size	18" L x 32" W x 5" H

Equipment Stand, 30" x 15"

Features



- ✓ 1.5" riser on three sides securely holds equipment in place.
- ✓ Heavy-duty, 18 gauge, Type 430 stainless steel top ensures long-lasting durability.
- ✓ Top is TIG welded for strength.
- ✓ Entire top surface is polished to a satin finish.
- ✓ Reinforced to exceed industry standards.
- ✓ Galvanized hat channels secured to the top with structural adhesive and weld studs.
- ✓ Welded gussets support hat sections.
- ✓ Hemmed edges for added strength and safety.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Die-cast reinforced leg sockets for enhanced stability.

Equipment Stands

EST-3015

Technical Drawing


TOP VIEW

15" (W)




30" (D)

FRONT VIEW



SIDE VIEW



23.375"

(24" D - 6.625")

(30" D - 7.875")

Model	Shipping Deminsions	Product Size	Width	Weight
EST-2424	26" L x 26" W x 5" H	24" D x 24" W x 26" H	24 inches	40 lbs
EST-2430	32" L x 26" W x 5" H	24" D x 30" W x 26" H	30 inches	45 lbs
EST-2436	38" L x 26" W x 5" H	24" D x 36" W x 26" H	36 inches	49 lbs
EST-2448	50" L x 26" W x 5" H	24" D x 48" W x 26" H	48 inches	60 lbs
EST-2460	62" L x 26" W x 5" H	24" D x 60" W x 26" H	60 inches	80 lbs
EST-3015	32" L x 18" W x 5" H	30" D x 15" W x 26" H	15 inches	37 lbs
EST-3018	32" L x 20" W x 5" H	30" D x 18" W x 26" H	18 inches	40 lbs
EST-3024	32" L x 26" W x 5" H	30" D x 24" W x 26" H	24 inches	48 lbs
EST-3030	32" L x 32" W x 5" H	30" D x 30" W x 26" H	30 inches	52 lbs
EST-3036	38" L x 32" W x 5" H	30" D x 36" W x 26" H	36 inches	57 lbs
EST-3048	50" L x 32" W x 5" H	30" D x 48" W x 26" H	48 inches	69 lbs
EST-3060	62" L x 32" W x 5" H	30" D x 60" W x 26" H	60 inches	75 lbs



Stainless Steel Equipment Stand

EST-3018

Size:	30" D x 18" W x 24" H
Weight	40 lbs
Width	18 inches
Shipping Size	20" L x 32" W x 5" H

Equipment Stand, 30" x 18"

Features



- ✓ 1.5" riser on three sides securely holds equipment in place.
- ✓ Heavy-duty, 18 gauge, Type 430 stainless steel top ensures long-lasting durability.
- ✓ Top is TIG welded for strength.
- ✓ Entire top surface is polished to a satin finish.
- ✓ Reinforced to exceed industry standards.
- ✓ Galvanized hat channels secured to the top with structural adhesive and weld studs.
- ✓ Welded gussets support hat sections.
- ✓ Hemmed edges for added strength and safety.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Die-cast reinforced leg sockets for enhanced stability.


Equipment Stands

EST-3018

Technical Drawing


TOP VIEW

18" (W)



30" (D)


FRONT VIEW



11.375"

(Width(W) - 6.625")

SIDE VIEW



22.125"

(24" D - 6.625")
(30" D - 7.875")

Model	Shipping Deminsions	Product Size	Width	Weight
EST-2424	26" L x 26" W x 5" H	24" D x 24" W x 26" H	24 inches	40 lbs
EST-2430	32" L x 26" W x 5" H	24" D x 30" W x 26" H	30 inches	45 lbs
EST-2436	38" L x 26" W x 5" H	24" D x 36" W x 26" H	36 inches	49 lbs
EST-2448	50" L x 26" W x 5" H	24" D x 48" W x 26" H	48 inches	60 lbs
EST-2460	62" L x 26" W x 5" H	24" D x 60" W x 26" H	60 inches	80 lbs
EST-3015	32" L x 18" W x 5" H	30" D x 15" W x 26" H	15 inches	37 lbs
EST-3018	32" L x 20" W x 5" H	30" D x 18" W x 26" H	18 inches	40 lbs
EST-3024	32" L x 26" W x 5" H	30" D x 24" W x 26" H	24 inches	48 lbs
EST-3030	32" L x 32" W x 5" H	30" D x 30" W x 26" H	30 inches	52 lbs
EST-3036	38" L x 32" W x 5" H	30" D x 36" W x 26" H	36 inches	57 lbs
EST-3048	50" L x 32" W x 5" H	30" D x 48" W x 26" H	48 inches	69 lbs
EST-3060	62" L x 32" W x 5" H	30" D x 60" W x 26" H	60 inches	75 lbs



Stainless Steel Equipment Stand

EST-3024

Size:	30" D x 24" W x 24" H
Weight	48 lbs
Width	24 inches
Shipping Size	26" L x 32" W x 5" H

Equipment Stand, 30" x 24"

Features



- ✓ 1.5" riser on three sides securely holds equipment in place.
- ✓ Heavy-duty, 18 gauge, Type 430 stainless steel top ensures long-lasting durability.
- ✓ Top is TIG welded for strength.
- ✓ Entire top surface is polished to a satin finish.
- ✓ Reinforced to exceed industry standards.
- ✓ Galvanized hat channels secured to the top with structural adhesive and weld studs.
- ✓ Welded gussets support hat sections.
- ✓ Hemmed edges for added strength and safety.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Die-cast reinforced leg sockets for enhanced stability.


Equipment Stands

EST-3024

Technical Drawing


TOP VIEW

24" (W)



30" (D)


FRONT VIEW



17.375"

(Width(W) - 6.625")

SIDE VIEW



22.125"

(24" D - 6.625")
(30" D - 7.875")

Model	Shipping Deminsions	Product Size	Width	Weight
EST-2424	26" L x 26" W x 5" H	24" D x 24" W x 26" H	24 inches	40 lbs
EST-2430	32" L x 26" W x 5" H	24" D x 30" W x 26" H	30 inches	45 lbs
EST-2436	38" L x 26" W x 5" H	24" D x 36" W x 26" H	36 inches	49 lbs
EST-2448	50" L x 26" W x 5" H	24" D x 48" W x 26" H	48 inches	60 lbs
EST-2460	62" L x 26" W x 5" H	24" D x 60" W x 26" H	60 inches	80 lbs
EST-3015	32" L x 18" W x 5" H	30" D x 15" W x 26" H	15 inches	37 lbs
EST-3018	32" L x 20" W x 5" H	30" D x 18" W x 26" H	18 inches	40 lbs
EST-3024	32" L x 26" W x 5" H	30" D x 24" W x 26" H	24 inches	48 lbs
EST-3030	32" L x 32" W x 5" H	30" D x 30" W x 26" H	30 inches	52 lbs
EST-3036	38" L x 32" W x 5" H	30" D x 36" W x 26" H	36 inches	57 lbs
EST-3048	50" L x 32" W x 5" H	30" D x 48" W x 26" H	48 inches	69 lbs
EST-3060	62" L x 32" W x 5" H	30" D x 60" W x 26" H	60 inches	75 lbs



Stainless Steel Equipment Stand

EST-3030

Size:	30" D x 30" W x 24" H
Weight	52 lbs
Width	30 inches
Shipping Size	32" L x 32" W x 5" H

Equipment Stand, 30" x 30"

Features




- ✓ 1.5" riser on three sides securely holds equipment in place.
- ✓ Heavy-duty, 18 gauge, Type 430 stainless steel top ensures long-lasting durability.
- ✓ Top is TIG welded for strength.
- ✓ Entire top surface is polished to a satin finish.
- ✓ Reinforced to exceed industry standards.
- ✓ Galvanized hat channels secured to the top with structural adhesive and weld studs.
- ✓ Welded gussets support hat sections.
- ✓ Hemmed edges for added strength and safety.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Die-cast reinforced leg sockets for enhanced stability.

Equipment Stands


EST-3030

Technical Drawing

TOP VIEW




FRONT VIEW



23.375"

(Width(W) - 6.625")

SIDE VIEW



22.125"

(24" D - 6.625")
(30" D - 7.875")

Model	Shipping Deminsions	Product Size	Width	Weight
EST-2424	26" L x 26" W x 5" H	24" D x 24" W x 26" H	24 inches	40 lbs
EST-2430	32" L x 26" W x 5" H	24" D x 30" W x 26" H	30 inches	45 lbs
EST-2436	38" L x 26" W x 5" H	24" D x 36" W x 26" H	36 inches	49 lbs
EST-2448	50" L x 26" W x 5" H	24" D x 48" W x 26" H	48 inches	60 lbs
EST-2460	62" L x 26" W x 5" H	24" D x 60" W x 26" H	60 inches	80 lbs
EST-3015	32" L x 18" W x 5" H	30" D x 15" W x 26" H	15 inches	37 lbs
EST-3018	32" L x 20" W x 5" H	30" D x 18" W x 26" H	18 inches	40 lbs
EST-3024	32" L x 26" W x 5" H	30" D x 24" W x 26" H	24 inches	48 lbs
EST-3030	32" L x 32" W x 5" H	30" D x 30" W x 26" H	30 inches	52 lbs
EST-3036	38" L x 32" W x 5" H	30" D x 36" W x 26" H	36 inches	57 lbs
EST-3048	50" L x 32" W x 5" H	30" D x 48" W x 26" H	48 inches	69 lbs
EST-3060	62" L x 32" W x 5" H	30" D x 60" W x 26" H	60 inches	75 lbs



Stainless Steel Equipment Stand

EST-3036

Size:	30" D x 36" W x 24" H
Weight	57 lbs
Width	36 inches
Shipping Size	38" L x 32" W x 5" H

Equipment Stand, 30" x 36"

Features



- ✓ 1.5" riser on three sides securely holds equipment in place.
- ✓ Heavy-duty, 18 gauge, Type 430 stainless steel top ensures long-lasting durability.
- ✓ Top is TIG welded for strength.
- ✓ Entire top surface is polished to a satin finish.
- ✓ Reinforced to exceed industry standards.
- ✓ Galvanized hat channels secured to the top with structural adhesive and weld studs.
- ✓ Welded gussets support hat sections.
- ✓ Hemmed edges for added strength and safety.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Die-cast reinforced leg sockets for enhanced stability.

Equipment Stands

EST-3036


Technical Drawing

TOP VIEW

36" (W)




FRONT VIEW



(Width(W) - 6.625")

SIDE VIEW



(24" D - 6.625")
(30" D - 7.875")

Model	Shipping Deminsions	Product Size	Width	Weight
EST-2424	26" L x 26" W x 5" H	24" D x 24" W x 26" H	24 inches	40 lbs
EST-2430	32" L x 26" W x 5" H	24" D x 30" W x 26" H	30 inches	45 lbs
EST-2436	38" L x 26" W x 5" H	24" D x 36" W x 26" H	36 inches	49 lbs
EST-2448	50" L x 26" W x 5" H	24" D x 48" W x 26" H	48 inches	60 lbs
EST-2460	62" L x 26" W x 5" H	24" D x 60" W x 26" H	60 inches	80 lbs
EST-3015	32" L x 18" W x 5" H	30" D x 15" W x 26" H	15 inches	37 lbs
EST-3018	32" L x 20" W x 5" H	30" D x 18" W x 26" H	18 inches	40 lbs
EST-3024	32" L x 26" W x 5" H	30" D x 24" W x 26" H	24 inches	48 lbs
EST-3030	32" L x 32" W x 5" H	30" D x 30" W x 26" H	30 inches	52 lbs
EST-3036	38" L x 32" W x 5" H	30" D x 36" W x 26" H	36 inches	57 lbs
EST-3048	50" L x 32" W x 5" H	30" D x 48" W x 26" H	48 inches	69 lbs
EST-3060	62" L x 32" W x 5" H	30" D x 60" W x 26" H	60 inches	75 lbs



Stainless Steel Equipment Stand

EST-3048

Size:	30" D x 48" W x 24" H
Weight	69 lbs
Width	48 inches
Shipping Size	50" L x 32" W x 5" H

Equipment Stand, 30" x 48"

Features



- ✓ 1.5" riser on three sides securely holds equipment in place.
- ✓ Heavy-duty, 18 gauge, Type 430 stainless steel top ensures long-lasting durability.
- ✓ Top is TIG welded for strength.
- ✓ Entire top surface is polished to a satin finish.
- ✓ Reinforced to exceed industry standards.
- ✓ Galvanized hat channels secured to the top with structural adhesive and weld studs.
- ✓ Welded gussets support hat sections.
- ✓ Hemmed edges for added strength and safety.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Die-cast reinforced leg sockets for enhanced stability.

EST-3048


Technical Drawing

TOP VIEW

48" (W)




FRONT VIEW



40.125"

(Width(W) - 6.625")

SIDE VIEW



23.375"

(24" D - 6.625")
(30" D - 7.875")

Model	Shipping Deminsions	Product Size	Width	Weight
EST-2424	26" L x 26" W x 5" H	24" D x 24" W x 26" H	24 inches	40 lbs
EST-2430	32" L x 26" W x 5" H	24" D x 30" W x 26" H	30 inches	45 lbs
EST-2436	38" L x 26" W x 5" H	24" D x 36" W x 26" H	36 inches	49 lbs
EST-2448	50" L x 26" W x 5" H	24" D x 48" W x 26" H	48 inches	60 lbs
EST-2460	62" L x 26" W x 5" H	24" D x 60" W x 26" H	60 inches	80 lbs
EST-3015	32" L x 18" W x 5" H	30" D x 15" W x 26" H	15 inches	37 lbs
EST-3018	32" L x 20" W x 5" H	30" D x 18" W x 26" H	18 inches	40 lbs
EST-3024	32" L x 26" W x 5" H	30" D x 24" W x 26" H	24 inches	48 lbs
EST-3030	32" L x 32" W x 5" H	30" D x 30" W x 26" H	30 inches	52 lbs
EST-3036	38" L x 32" W x 5" H	30" D x 36" W x 26" H	36 inches	57 lbs
EST-3048	50" L x 32" W x 5" H	30" D x 48" W x 26" H	48 inches	69 lbs
EST-3060	62" L x 32" W x 5" H	30" D x 60" W x 26" H	60 inches	75 lbs



Stainless Steel Equipment Stand

EST-3060

Size:	30" D x 60" W x 24" H
Weight	75 lbs
Width	60 inches
Shipping Size	62" L x 32" W x 5" H

Equipment Stand, 30" x 60"

Features



- ✓ 1.5" riser on three sides securely holds equipment in place.
- ✓ Heavy-duty, 18 gauge, Type 430 stainless steel top ensures long-lasting durability.
- ✓ Top is TIG welded for strength.
- ✓ Entire top surface is polished to a satin finish.
- ✓ Reinforced to exceed industry standards.
- ✓ Galvanized hat channels secured to the top with structural adhesive and weld studs.
- ✓ Welded gussets support hat sections.
- ✓ Hemmed edges for added strength and safety.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Die-cast reinforced leg sockets for enhanced stability.

EST-3060


Technical Drawing

TOP VIEW

60" (W)




FRONT VIEW



(Width(W) - 6.625")

SIDE VIEW



(24" D - 6.625")
(30" D - 7.875")

Model	Shipping Deminsions	Product Size	Width	Weight
EST-2424	26" L x 26" W x 5" H	24" D x 24" W x 26" H	24 inches	40 lbs
EST-2430	32" L x 26" W x 5" H	24" D x 30" W x 26" H	30 inches	45 lbs
EST-2436	38" L x 26" W x 5" H	24" D x 36" W x 26" H	36 inches	49 lbs
EST-2448	50" L x 26" W x 5" H	24" D x 48" W x 26" H	48 inches	60 lbs
EST-2460	62" L x 26" W x 5" H	24" D x 60" W x 26" H	60 inches	80 lbs
EST-3015	32" L x 18" W x 5" H	30" D x 15" W x 26" H	15 inches	37 lbs
EST-3018	32" L x 20" W x 5" H	30" D x 18" W x 26" H	18 inches	40 lbs
EST-3024	32" L x 26" W x 5" H	30" D x 24" W x 26" H	24 inches	48 lbs
EST-3030	32" L x 32" W x 5" H	30" D x 30" W x 26" H	30 inches	52 lbs
EST-3036	38" L x 32" W x 5" H	30" D x 36" W x 26" H	36 inches	57 lbs
EST-3048	50" L x 32" W x 5" H	30" D x 48" W x 26" H	48 inches	69 lbs
EST-3060	62" L x 32" W x 5" H	30" D x 60" W x 26" H	60 inches	75 lbs