



STAINLESS STEEL WORK TABLES



Stainless Steel Work Table

WTS-2424

Size:	24" D x 24" W x 34" H
Weight	35 lbs
Width	24 inches
Shipping Size	26" L x 26" W x 3" H

Work Table, 24" x 24"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34".
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables


WTS-2424

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-2430

Size:	24" D x 30" W x 34" H
Weight	40 lbs
Width	30 inches
Shipping Size	32" L x 26" W x 3" H

Work Table, 24" x 30"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34".
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables


WTS-2430

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-2436

Size:	24" D x 36" W x 34" H
Weight	46 lbs
Width	36 inches
Shipping Size	38" L x 26" W x 3" H

Work Table, 24" x 36"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34".
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables


WTS-2436

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-2448

Size:	24" D x 48" W x 34" H
Weight	56 lbs
Width	48 inches
Shipping Size	50" L x 26" W x 3" H

Work Table, 24" x 48"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34".
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables


WTS-2448

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-2460

Size: 24" D x 60" W x 34" H

Weight 66 lbs

Width 60 inches

Shipping Size 62" L x 26" W x 3" H

Work Table, 24" x 60"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34".
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables


WTS-2460

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-2472

Size:	24" D x 72" W x 34" H
Weight	76 lbs
Width	72 inches
Shipping Size	74" L x 26" W x 3" H

Work Table, 24" x 72"

Features



- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34".
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables


WTS-2472

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-3015

Size:	30" D x 15" W x 34" H
Weight	33 lbs
Width	15 inches
Shipping Size	32" L x 17" W x 3" H

Work Table, 30" x 15"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34".
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables


WTS-3015

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-3024

Size:	30" D x 24" W x 34" H
Weight	38 lbs
Width	24 inches
Shipping Size	32" L x 26" W x 3" H

Work Table, 30" x 24"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34".
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables


WTS-3024

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-3030

Size:	30" D x 30" W x 34" H
Weight	43 lbs
Width	30 inches
Shipping Size	32" L x 32" W x 3" H

Work Table, 30" x 30"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34".
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables


WTS-3030

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-3036

Size:	30" D x 36" W x 34" H
Weight	49 lbs
Width	36 inches
Shipping Size	38" L x 32" W x 3" H

Work Table, 30" x 36"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34".
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables


WTS-3036

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-3048

Size:	30" D x 48" W x 34" H
Weight	59 lbs
Width	48 inches
Shipping Size	50" L x 32" W x 3" H

Work Table, 30" x 48"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34".
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables


WTS-3048

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-3060

Size:	30" D x 60" W x 34" H
Weight	70 lbs
Width	60 inches
Shipping Size	62" L x 32" W x 3" H

Work Table, 30" x 60"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34".
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables


WTS-3060

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-3072

Size:	30" D x 72" W x 34" H
Weight	80 lbs
Width	72 inches
Shipping Size	74" L x 32" W x 3" H

Work Table, 30" x 72"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34"
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8"
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables


WTS-3072

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-2424-BK

Size:	24" D x 24" W x 34" H
Weight	38 lbs
Width	24 inches
Shipping Size	27" L x 24" W x 7" H

Work Table with Backsplash, 24"x24"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34" with an additional 4" backsplash riser.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables with Backsplash


WTS-2424-BK

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424-BK	27" L x 24" W x 7" H	24" D x 24" W x 34" H	24 inches	38 lbs
WTS-2430-BK	32" L x 27" W x 7" H	24" D x 30" W x 37" H	30 inches	43 lbs
WTS-2436-BK	38" L x 27" W x 7" H	24" D x 36" W x 37" H	36 inches	49 lbs
WTS-2448-BK	50" L x 27" W x 7" H	24" D x 48" W x 37" H	48 inches	59 lbs
WTS-2460-BK	62" L x 27" W x 7" H	24" D x 60" W x 37" H	60 inches	70 lbs
WTS-2472-BK	74" L x 27" W x 7" H	24" D x 72" W x 37" H	72 inches	80 lbs
WTS-3024-BK	32" L x 27" W x 7" H	30" D x 24" W x 37" H	24 inches	43 lbs
WTS-3030-BK	33" L x 33" W x 7" H	30" D x 30" W x 37" H	30 inches	49 lbs
WTS-3036-BK	38" L x 33" W x 7" H	30" D x 36" W x 37" H	36 inches	55 lbs
WTS-3048-BK	50" L x 33" W x 7" H	30" D x 48" W x 37" H	48 inches	67 lbs
WTS-3060-BK	62" L x 33" W x 7" H	30" D x 60" W x 37" H	60 inches	79 lbs
WTS-3072-BK	74" L x 33" W x 7" H	30" D x 72" W x 37" H	72 inches	92 lbs



Stainless Steel Work Table

WTS-2430-BK

Size:	24" D x 30" W x 37" H
Weight	43 lbs
Width	30 inches
Shipping Size	32" L x 27" W x 7" H

Work Table with Backsplash, 24"x30"

Features



- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34" with an additional 4" backsplash riser.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables with Backsplash


WTS-2430-BK

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424-BK	27" L x 24" W x 7" H	24" D x 24" W x 34" H	24 inches	38 lbs
WTS-2430-BK	32" L x 27" W x 7" H	24" D x 30" W x 37" H	30 inches	43 lbs
WTS-2436-BK	38" L x 27" W x 7" H	24" D x 36" W x 37" H	36 inches	49 lbs
WTS-2448-BK	50" L x 27" W x 7" H	24" D x 48" W x 37" H	48 inches	59 lbs
WTS-2460-BK	62" L x 27" W x 7" H	24" D x 60" W x 37" H	60 inches	70 lbs
WTS-2472-BK	74" L x 27" W x 7" H	24" D x 72" W x 37" H	72 inches	80 lbs
WTS-3024-BK	32" L x 27" W x 7" H	30" D x 24" W x 37" H	24 inches	43 lbs
WTS-3030-BK	33" L x 33" W x 7" H	30" D x 30" W x 37" H	30 inches	49 lbs
WTS-3036-BK	38" L x 33" W x 7" H	30" D x 36" W x 37" H	36 inches	55 lbs
WTS-3048-BK	50" L x 33" W x 7" H	30" D x 48" W x 37" H	48 inches	67 lbs
WTS-3060-BK	62" L x 33" W x 7" H	30" D x 60" W x 37" H	60 inches	79 lbs
WTS-3072-BK	74" L x 33" W x 7" H	30" D x 72" W x 37" H	72 inches	92 lbs



Stainless Steel Work Table

WTS-2436-BK

Size:	24" D x 36" W x 37" H
Weight	49 lbs
Width	36 inches
Shipping Size	38" L x 27" W x 7" H

Work Table with Backsplash, 24"x36"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34" with an additional 4" backsplash riser.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables with Backsplash


WTS-2436-BK

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424-BK	27" L x 24" W x 7" H	24" D x 24" W x 34" H	24 inches	38 lbs
WTS-2430-BK	32" L x 27" W x 7" H	24" D x 30" W x 37" H	30 inches	43 lbs
WTS-2436-BK	38" L x 27" W x 7" H	24" D x 36" W x 37" H	36 inches	49 lbs
WTS-2448-BK	50" L x 27" W x 7" H	24" D x 48" W x 37" H	48 inches	59 lbs
WTS-2460-BK	62" L x 27" W x 7" H	24" D x 60" W x 37" H	60 inches	70 lbs
WTS-2472-BK	74" L x 27" W x 7" H	24" D x 72" W x 37" H	72 inches	80 lbs
WTS-3024-BK	32" L x 27" W x 7" H	30" D x 24" W x 37" H	24 inches	43 lbs
WTS-3030-BK	33" L x 33" W x 7" H	30" D x 30" W x 37" H	30 inches	49 lbs
WTS-3036-BK	38" L x 33" W x 7" H	30" D x 36" W x 37" H	36 inches	55 lbs
WTS-3048-BK	50" L x 33" W x 7" H	30" D x 48" W x 37" H	48 inches	67 lbs
WTS-3060-BK	62" L x 33" W x 7" H	30" D x 60" W x 37" H	60 inches	79 lbs
WTS-3072-BK	74" L x 33" W x 7" H	30" D x 72" W x 37" H	72 inches	92 lbs



Stainless Steel Work Table

WTS-2448-BK

Size:	24" D x 48" W x 37" H
Weight	59 lbs
Width	48 inches
Shipping Size	50" L x 27" W x 7" H

Work Table with Backsplash, 24"x48"

Features



- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34" with an additional 4" backsplash riser.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables with Backsplash


WTS-2448-BK

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424-BK	27" L x 24" W x 7" H	24" D x 24" W x 34" H	24 inches	38 lbs
WTS-2430-BK	32" L x 27" W x 7" H	24" D x 30" W x 37" H	30 inches	43 lbs
WTS-2436-BK	38" L x 27" W x 7" H	24" D x 36" W x 37" H	36 inches	49 lbs
WTS-2448-BK	50" L x 27" W x 7" H	24" D x 48" W x 37" H	48 inches	59 lbs
WTS-2460-BK	62" L x 27" W x 7" H	24" D x 60" W x 37" H	60 inches	70 lbs
WTS-2472-BK	74" L x 27" W x 7" H	24" D x 72" W x 37" H	72 inches	80 lbs
WTS-3024-BK	32" L x 27" W x 7" H	30" D x 24" W x 37" H	24 inches	43 lbs
WTS-3030-BK	33" L x 33" W x 7" H	30" D x 30" W x 37" H	30 inches	49 lbs
WTS-3036-BK	38" L x 33" W x 7" H	30" D x 36" W x 37" H	36 inches	55 lbs
WTS-3048-BK	50" L x 33" W x 7" H	30" D x 48" W x 37" H	48 inches	67 lbs
WTS-3060-BK	62" L x 33" W x 7" H	30" D x 60" W x 37" H	60 inches	79 lbs
WTS-3072-BK	74" L x 33" W x 7" H	30" D x 72" W x 37" H	72 inches	92 lbs



Stainless Steel Work Table

WTS-2460-BK

Size:	24" D x 60" W x 37" H
Weight	70 lbs
Width	60 inches
Shipping Size	62" L x 27" W x 7" H

Work Table with Backsplash, 24"x60"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34" with an additional 4" backsplash riser.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables with Backsplash


WTS-2460-BK

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424-BK	27" L x 24" W x 7" H	24" D x 24" W x 34" H	24 inches	38 lbs
WTS-2430-BK	32" L x 27" W x 7" H	24" D x 30" W x 37" H	30 inches	43 lbs
WTS-2436-BK	38" L x 27" W x 7" H	24" D x 36" W x 37" H	36 inches	49 lbs
WTS-2448-BK	50" L x 27" W x 7" H	24" D x 48" W x 37" H	48 inches	59 lbs
WTS-2460-BK	62" L x 27" W x 7" H	24" D x 60" W x 37" H	60 inches	70 lbs
WTS-2472-BK	74" L x 27" W x 7" H	24" D x 72" W x 37" H	72 inches	80 lbs
WTS-3024-BK	32" L x 27" W x 7" H	30" D x 24" W x 37" H	24 inches	43 lbs
WTS-3030-BK	33" L x 33" W x 7" H	30" D x 30" W x 37" H	30 inches	49 lbs
WTS-3036-BK	38" L x 33" W x 7" H	30" D x 36" W x 37" H	36 inches	55 lbs
WTS-3048-BK	50" L x 33" W x 7" H	30" D x 48" W x 37" H	48 inches	67 lbs
WTS-3060-BK	62" L x 33" W x 7" H	30" D x 60" W x 37" H	60 inches	79 lbs
WTS-3072-BK	74" L x 33" W x 7" H	30" D x 72" W x 37" H	72 inches	92 lbs



Stainless Steel Work Table

WTS-2472-BK

Size:	24" D x 72" W x 37" H
Weight	80 lbs
Width	72 inches
Shipping Size	74" L x 27" W x 7" H

Work Table with Backsplash, 24"x72"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34" with an additional 4" backsplash riser.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables with Backsplash


WTS-2472-BK

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424-BK	27" L x 24" W x 7" H	24" D x 24" W x 34" H	24 inches	38 lbs
WTS-2430-BK	32" L x 27" W x 7" H	24" D x 30" W x 37" H	30 inches	43 lbs
WTS-2436-BK	38" L x 27" W x 7" H	24" D x 36" W x 37" H	36 inches	49 lbs
WTS-2448-BK	50" L x 27" W x 7" H	24" D x 48" W x 37" H	48 inches	59 lbs
WTS-2460-BK	62" L x 27" W x 7" H	24" D x 60" W x 37" H	60 inches	70 lbs
WTS-2472-BK	74" L x 27" W x 7" H	24" D x 72" W x 37" H	72 inches	80 lbs
WTS-3024-BK	32" L x 27" W x 7" H	30" D x 24" W x 37" H	24 inches	43 lbs
WTS-3030-BK	33" L x 33" W x 7" H	30" D x 30" W x 37" H	30 inches	49 lbs
WTS-3036-BK	38" L x 33" W x 7" H	30" D x 36" W x 37" H	36 inches	55 lbs
WTS-3048-BK	50" L x 33" W x 7" H	30" D x 48" W x 37" H	48 inches	67 lbs
WTS-3060-BK	62" L x 33" W x 7" H	30" D x 60" W x 37" H	60 inches	79 lbs
WTS-3072-BK	74" L x 33" W x 7" H	30" D x 72" W x 37" H	72 inches	92 lbs



Stainless Steel Work Table

WTS-3024-BK

Size:	30" D x 24" W x 37" H
Weight	43 lbs
Width	24 inches
Shipping Size	32" L x 27" W x 7" H

Work Table with Backsplash, 30"x24"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34" with an additional 4" backsplash riser.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables with Backsplash


WTS-3024-BK

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424-BK	27" L x 24" W x 7" H	24" D x 24" W x 34" H	24 inches	38 lbs
WTS-2430-BK	32" L x 27" W x 7" H	24" D x 30" W x 37" H	30 inches	43 lbs
WTS-2436-BK	38" L x 27" W x 7" H	24" D x 36" W x 37" H	36 inches	49 lbs
WTS-2448-BK	50" L x 27" W x 7" H	24" D x 48" W x 37" H	48 inches	59 lbs
WTS-2460-BK	62" L x 27" W x 7" H	24" D x 60" W x 37" H	60 inches	70 lbs
WTS-2472-BK	74" L x 27" W x 7" H	24" D x 72" W x 37" H	72 inches	80 lbs
WTS-3024-BK	32" L x 27" W x 7" H	30" D x 24" W x 37" H	24 inches	43 lbs
WTS-3030-BK	33" L x 33" W x 7" H	30" D x 30" W x 37" H	30 inches	49 lbs
WTS-3036-BK	38" L x 33" W x 7" H	30" D x 36" W x 37" H	36 inches	55 lbs
WTS-3048-BK	50" L x 33" W x 7" H	30" D x 48" W x 37" H	48 inches	67 lbs
WTS-3060-BK	62" L x 33" W x 7" H	30" D x 60" W x 37" H	60 inches	79 lbs
WTS-3072-BK	74" L x 33" W x 7" H	30" D x 72" W x 37" H	72 inches	92 lbs



Stainless Steel Work Table

WTS-3030-BK

Size:	30" D x 30" W x 37" H
Weight	49 lbs
Width	30 inches
Shipping Size	33" L x 33" W x 7" H

Work Table with Backsplash, 30"x30"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34" with an additional 4" backsplash riser.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables with Backsplash


WTS-3030-BK

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424-BK	27" L x 24" W x 7" H	24" D x 24" W x 34" H	24 inches	38 lbs
WTS-2430-BK	32" L x 27" W x 7" H	24" D x 30" W x 37" H	30 inches	43 lbs
WTS-2436-BK	38" L x 27" W x 7" H	24" D x 36" W x 37" H	36 inches	49 lbs
WTS-2448-BK	50" L x 27" W x 7" H	24" D x 48" W x 37" H	48 inches	59 lbs
WTS-2460-BK	62" L x 27" W x 7" H	24" D x 60" W x 37" H	60 inches	70 lbs
WTS-2472-BK	74" L x 27" W x 7" H	24" D x 72" W x 37" H	72 inches	80 lbs
WTS-3024-BK	32" L x 27" W x 7" H	30" D x 24" W x 37" H	24 inches	43 lbs
WTS-3030-BK	33" L x 33" W x 7" H	30" D x 30" W x 37" H	30 inches	49 lbs
WTS-3036-BK	38" L x 33" W x 7" H	30" D x 36" W x 37" H	36 inches	55 lbs
WTS-3048-BK	50" L x 33" W x 7" H	30" D x 48" W x 37" H	48 inches	67 lbs
WTS-3060-BK	62" L x 33" W x 7" H	30" D x 60" W x 37" H	60 inches	79 lbs
WTS-3072-BK	74" L x 33" W x 7" H	30" D x 72" W x 37" H	72 inches	92 lbs



Stainless Steel Work Table

WTS-3036-BK

Size:	30" D x 36" W x 37" H
Weight	55 lbs
Width	36 inches
Shipping Size	38" L x 33" W x 7" H

Work Table with Backsplash, 30"x36"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34" with an additional 4" backsplash riser.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables with Backsplash


WTS-3036-BK

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424-BK	27" L x 24" W x 7" H	24" D x 24" W x 34" H	24 inches	38 lbs
WTS-2430-BK	32" L x 27" W x 7" H	24" D x 30" W x 37" H	30 inches	43 lbs
WTS-2436-BK	38" L x 27" W x 7" H	24" D x 36" W x 37" H	36 inches	49 lbs
WTS-2448-BK	50" L x 27" W x 7" H	24" D x 48" W x 37" H	48 inches	59 lbs
WTS-2460-BK	62" L x 27" W x 7" H	24" D x 60" W x 37" H	60 inches	70 lbs
WTS-2472-BK	74" L x 27" W x 7" H	24" D x 72" W x 37" H	72 inches	80 lbs
WTS-3024-BK	32" L x 27" W x 7" H	30" D x 24" W x 37" H	24 inches	43 lbs
WTS-3030-BK	33" L x 33" W x 7" H	30" D x 30" W x 37" H	30 inches	49 lbs
WTS-3036-BK	38" L x 33" W x 7" H	30" D x 36" W x 37" H	36 inches	55 lbs
WTS-3048-BK	50" L x 33" W x 7" H	30" D x 48" W x 37" H	48 inches	67 lbs
WTS-3060-BK	62" L x 33" W x 7" H	30" D x 60" W x 37" H	60 inches	79 lbs
WTS-3072-BK	74" L x 33" W x 7" H	30" D x 72" W x 37" H	72 inches	92 lbs



Stainless Steel Work Table

WTS-3048-BK

Size:	30" D x 48" W x 37" H
Weight	67 lbs
Width	48 inches
Shipping Size	50" L x 33" W x 7" H

Work Table with Backsplash, 30"x48"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34" with an additional 4" backsplash riser.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables with Backsplash


WTS-3048-BK

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424-BK	27" L x 24" W x 7" H	24" D x 24" W x 34" H	24 inches	38 lbs
WTS-2430-BK	32" L x 27" W x 7" H	24" D x 30" W x 37" H	30 inches	43 lbs
WTS-2436-BK	38" L x 27" W x 7" H	24" D x 36" W x 37" H	36 inches	49 lbs
WTS-2448-BK	50" L x 27" W x 7" H	24" D x 48" W x 37" H	48 inches	59 lbs
WTS-2460-BK	62" L x 27" W x 7" H	24" D x 60" W x 37" H	60 inches	70 lbs
WTS-2472-BK	74" L x 27" W x 7" H	24" D x 72" W x 37" H	72 inches	80 lbs
WTS-3024-BK	32" L x 27" W x 7" H	30" D x 24" W x 37" H	24 inches	43 lbs
WTS-3030-BK	33" L x 33" W x 7" H	30" D x 30" W x 37" H	30 inches	49 lbs
WTS-3036-BK	38" L x 33" W x 7" H	30" D x 36" W x 37" H	36 inches	55 lbs
WTS-3048-BK	50" L x 33" W x 7" H	30" D x 48" W x 37" H	48 inches	67 lbs
WTS-3060-BK	62" L x 33" W x 7" H	30" D x 60" W x 37" H	60 inches	79 lbs
WTS-3072-BK	74" L x 33" W x 7" H	30" D x 72" W x 37" H	72 inches	92 lbs



Stainless Steel Work Table

WTS-3060-BK

Size:	30" D x 60" W x 37" H
Weight	79 lbs
Width	60 inches
Shipping Size	62" L x 33" W x 7" H

Work Table with Backsplash, 30"x60"

Features




- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34" with an additional 4" backsplash riser.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables with Backsplash


WTS-3060-BK

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424	26" L x 26" W x 3" H	24" D x 24" W x 34" H	24 inches	35 lbs
WTS-2430	32" L x 26" W x 3" H	24" D x 30" W x 34" H	30 inches	40 lbs
WTS-2436	38" L x 26" W x 3" H	24" D x 36" W x 34" H	36 inches	46 lbs
WTS-2448	50" L x 26" W x 3" H	24" D x 48" W x 34" H	48 inches	56 lbs
WTS-2460	62" L x 26" W x 3" H	24" D x 60" W x 34" H	60 inches	66 lbs
WTS-2472	74" L x 26" W x 3" H	24" D x 72" W x 34" H	72 inches	76 lbs
WTS-3015	32" L x 17" W x 3" H	30" D x 15" W x 34" H	30 inches	33 lbs
WTS-3024	32" L x 26" W x 3" H	30" D x 24" W x 34" H	30 inches	38 lbs
WTS-3030	32" L x 32" W x 3" H	30" D x 30" W x 34" H	30 inches	43 lbs
WTS-3036	38" L x 32" W x 3" H	30" D x 36" W x 34" H	36 inches	49 lbs
WTS-3048	50" L x 32" W x 3" H	30" D x 48" W x 34" H	48 inches	59 lbs
WTS-3060	62" L x 32" W x 3" H	30" D x 60" W x 34" H	60 inches	70 lbs
WTS-3072	74" L x 32" W x 3" H	30" D x 72" W x 34" H	72 inches	80 lbs



Stainless Steel Work Table

WTS-3072-BK

Size:	30" D x 72" W x 37" H
Weight	92 lbs
Width	72 inches
Shipping Size	74" L x 33" W x 7" H

Work Table with Backsplash, 30"x72"

Features



- ✓ Premium 18 Gauge Type 304 stainless steel for durability.
- ✓ TIG welding for the top.
- ✓ Entire top surface polished to a smooth satin finish.
- ✓ Built to surpass industry reinforcement standards.
- ✓ Galvanized hat channels attached with structural adhesive and weld studs.
- ✓ Gussets welded for hat section support.
- ✓ Edges are hemmed for added strength and safety.
- ✓ Worktables standard height is 34" with an additional 4" backsplash riser.
- ✓ Galvanized legs and undershelf offer durability and cost-effectiveness.
- ✓ Reinforced leg sockets made from die-cast for added stability.
- ✓ Leg diameter is 1 5/8".
- ✓ ABS bullet feet are adjustable to level on uneven floors.

Work Tables with Backsplash


WTS-3072-BK

Technical Drawing


TOP VIEW



FRONT VIEW



SIDE VIEW



Model	Shipping Deminsions	Product Size	Width	Weight
WTS-2424-BK	27" L x 24" W x 7" H	24" D x 24" W x 34" H	24 inches	38 lbs
WTS-2430-BK	32" L x 27" W x 7" H	24" D x 30" W x 37" H	30 inches	43 lbs
WTS-2436-BK	38" L x 27" W x 7" H	24" D x 36" W x 37" H	36 inches	49 lbs
WTS-2448-BK	50" L x 27" W x 7" H	24" D x 48" W x 37" H	48 inches	59 lbs
WTS-2460-BK	62" L x 27" W x 7" H	24" D x 60" W x 37" H	60 inches	70 lbs
WTS-2472-BK	74" L x 27" W x 7" H	24" D x 72" W x 37" H	72 inches	80 lbs
WTS-3024-BK	32" L x 27" W x 7" H	30" D x 24" W x 37" H	24 inches	43 lbs
WTS-3030-BK	33" L x 33" W x 7" H	30" D x 30" W x 37" H	30 inches	49 lbs
WTS-3036-BK	38" L x 33" W x 7" H	30" D x 36" W x 37" H	36 inches	55 lbs
WTS-3048-BK	50" L x 33" W x 7" H	30" D x 48" W x 37" H	48 inches	67 lbs
WTS-3060-BK	62" L x 33" W x 7" H	30" D x 60" W x 37" H	60 inches	79 lbs
WTS-3072-BK	74" L x 33" W x 7" H	30" D x 72" W x 37" H	72 inches	92 lbs